LASMEX

S-03 User Manual

HIFI 2.0 Speaker System

let s feel the sound

IMPORTANT SAFETY INSTRUCTIONS

1. READ these instructions.
2. KEEP these instructions.
3. HEED all warnings.
4. FOLLOW all instructions.
5. DO NOT use this apparatus near water.
6. CLEAN ONLY with dry colth.
7. DO NOT block any ventilation openings,Install in accordance with the manufacturer's Instructions.
8. DO NOT install near any heat sources such as radiators,heat registers,stoves,or other apparatus(including amplifiers)that produce heat.
9. UNPLUG this apparatus during lightning storms or when unused for long perods of time.
10. REFER all servicing to qualified service personnel.servicing is required when the apparatus has been damaged in any way,such as power-supply cord or plug is.damaged,liquid has been spilled or objects have fallen into the apparatus,the apparatus has been exposed to rain lr moisture,does not operate normally,or has been dropped.

This symbol indicates that there are important operating & maintenance instructions in the literature accompanying this unit.



This symbol indicates that dangerous voltage constituting a risk of electric shock is present within this unit.

CAUTION

RISK OF ELECTRIC SHOCK
DO NOT OPEN

WARNING: To reduce the risk of fire or electrical shock,do not expose this product to rain or moisture.The product must,not be exposed to dripping and splashing and no object filled with liquids-such as a vase of flowers-should be placedon the product.

CAUTION: Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate this device.

CAUTION: To prevent,electric shock,match wide blade of plug to wide slot,full insert.

Content in the package

Speaker	2pcs
USB Cable	1pc
User Manual	1pc

Specifications

Unit driver: 2*1.5" magnetic shielded
Total system power: RMS 4W
Impedance: 4 Ohm
Frequency response: Satellite 100Hz-20KHz
USB Powered: DC 5V
Unit dimension:W98*H92*D94mm

Knowing Your Speaket



Front View



Rear View

Setup Diagram

First,please plug the USB power jack to laptop's USB slot for getting power supply,of couse,you can also use other types USB powered supply devices to supply power for it.Secondly,insert 3.5mm stereo audio cable into laptop's audio output hole(one jack with a microphone mark),speakers and laptop computers to complete the audio connection.Finally,the laptop will stop its own horn and show the sound through external speakers.At this time,you will be able to clearly feel the wonderful performance of different voices.

Notes:

To recommend the user of speakers to supply power for laptop via DC in directly.Compared to the Li-ion battery,this kind power supply is more stable and the speaker will perform more perfectly.

1.USB power supply plug
2.3.5mm stereo jack

Wichtige Sicherheitshinweise

1.) Lesen Sie diese Sicherheitshinweise gründlich durch
2.) Bewahren Sie diese Sicherheitshinweise gut auf
3.) Beachten Sie alle Warnhinweise
4.) Befolgen Sie alle Instruktionen
5.) Verwenden Sie dieses Gerät nicht in der Nähe von Wasser
6.) Nur mit trockenem Stoff reinigen
7.) Das Gerät nicht abdecken, um die Belüftung des Geräts nicht zu gefährden
8.) Nicht in der Nähe von Hitzequellen, Radiatoren, Öfen, oder andere Quellen die Hitze erzeugen
9.) Bitte trennen Sie das Gerät vom Netz bei Nichtgebrauch oder Schlechtwetter
10.) Im Falle von Schäden am Gerät nutzen Sie es nicht weiter, trennen Sie es unverzüglich vom Netz und kontaktieren Sie einen Fachmann.

This symbol indicates that there are important operating & maintenance instructions in the literature accompanying this unit.

Warnung: Um das Risiko eines elektrischen Schlags zu minimieren setzen Sie das Gerät keinen Feuchtigkeitsquellen oder Regen aus. Halten Sie das Gerät von Wasser im Allgemeinen fern

This symbol indicates that dangerous voltage constituting a risk of electric shock is present within this unit.

Hinweis: Änderungen am Gerät, die nicht vom Hersteller abgesegnet wurden führen zum Garantieverlust

CAUTION

RISK OF ELECTRIC SHOCK
DO NOT OPEN

CAUTION: Hinweis: Um das Risiko eines elektrischen Schlags zu minimieren stellen Sie sicher, dass die Kabelverbindungen fest sitzen und keine Beschädigungen vorliegen.

Verpackungsinhalt

Lautsprecher:2x
USB Kabel1x
Handbuch1x

Spezifikationen:

Driver:	2 x 1,5" magnetisch abgeschirmt
Systemleistung:	4W RMS
Impedanz:	4 Ohm
Frequenzbereich:	100Hz- 20KHz
Stromversorgung:	5V DC via USB
Abmessungen:	98(B)x92(H)x94(T) mm

Ihre Lautsprecher kennenlernen



Vorderansicht



Rückansicht

Aufbau Diagramm

Verbinden Sie das USB Kabel mit einem freien USB Anschluss an Ihrem Computer, um die Boxen mit Strom zu versorgen. Schließen Sie anschließend den 3,5mm Klinkenstecker an den dafür vorgesehenen Anschluss an. Nun können Sie den Sound Ihres Computers über die Lautsprecher wiedergeben.

1.USB Strom - Anschluss
2.3.5mm Klinken anschluss

let s feel the sound

www.lasmex.com

Anholtseweg 38
7091 HB Dinxperlo